New Combinations required for the Flora of Central Eastern United States

Clyde F. Reed

While preparing the Flora of Central Eastern United States (Maryland, Delaware, Virginia and West Virginia, including the District of Columbia), it has become necessary to provide the following new nomenclatural changes and new combinations.

Aristolochiaceae

Endodeca serpentaria var. hastata (Nutt.) Reed, comb. nov.
 Based on Aristolochia hastata Nutt., Gen. Amer. 2: 200. 1818.

Polygonaceae

- 2. Bilderdyckia cilinodis var. laevigata (Fern.) Reed, comb. nov.

 Based on Polygonum cilinode var. laevigatum Fern., Rhodora 16: 166. 1914.
- 3. <u>Bilderdyckia scandens</u> var. <u>cristata</u> (Engelm. & Gray) Reed, <u>comb. nov. Based on Polygonum cristatum Engelm. & Gray, Boston Journ. Nat. Hist. 5: 259. 1847.</u>
- 4. Persicaria pensylvanica var. dura (Stanford) Reed, comb. nov.

 Based on Polygonum pensylvanicum var. durum Stanford,
 Rhodora 27: 178, 180. 1925.
- 5. Persicaria hydropiperoides var. euronotorum (Fern.) Reed,
 comb. nov. Based on Polygonum hydropiperoides var. euronotorum Fern., Rhodora 47: 137. 1945.
- 6. Persicaria hydropiperoides var. breviciliata (Fern.) Reed,
 comb. nov. Based on Polygonum hydropiperoides var. breviciliatum Fern., Rhodora 42: 448. 1940.
- 7. Persicaria setacea var. interjecta (Fern.) Reed, Gomb. nov.

 Based on Polygonum setaceum var. interjectum Fern., Rhodora 40: 414. 1938.
- 8. Persicaria setacea var. tonsa (Fern.) Reed, cpmb. nov. Based on Polygonum setaceum var. tonsum Fern., Rhodora 40: 414.
- 9. <u>Persicaria ruderalis</u> (Salisb.) Reed, comb. nov. Based on

 <u>Polygonum ruderale</u> Salisb., Prodr. 259. 1796. Syn.: <u>Polygonum persicaria L.</u>, 1753; <u>Persicaria vulgaris</u> Webb & Moq. ex Webb & Berth., 1841.
- 10. Persicaria ruderalis forma angustifolia (Beckh.) Reed, comb.

 nov. Based on Polygonum persicaria forma angustifolium
 Beckh., F1. Westf., 173. 1893.
- 11. Tracaulon sagittatum var. gracilentum (Fern.) Reed, comb. nov.

 Based on Polygonum sagitattum var. gracilentum Fern., Rhodora 44: 393. 1942.

Salicaceae

- 12. <u>Salix exigua</u> forma <u>wheeleri</u> (Rowlee) Reed, comb nov. <u>Based</u> on <u>Salix</u> interior var. <u>wheeleri</u> Rowlee, Bull. Torr. Bot. Club 27: 253. 1900.
- 13. Salix exigua var. exterior (Fern.) Reed, comb. nov. Based on Salix interior var. exterior Fern., Rhodora 48: 38. 1946.

Oxalidaceae

- 14. Oxalis stricta forma cymosa (Small) Reed, comb. nov. Based on Oxalis cymosa Small, Bull. Torr. Bot. Club, 23: 267.
- 15. Oxalis stricta forma villicaulis (Wieg.) Reed, comb. nov.

 Based on Oxalis europaea forma villicaulis Wieg., Rhodora
 27: 135. 1925.

Addendum:

Polygonaceae

16. Persicaria ruderalis var. vulgaris (Meisn.) Reed. comb. nov.

Based on Polygonum persicaria (a) vulgare Meisn., Monogr.

Gen. Polygon. Prodr., 68. 1826. Syn.: Polygonum persicaria
L., 1753; Persicaria persicaria (L.) Small, 1903; Persicaria vulgaris Webb & Moq. in Webb & Berth., 1841.

Reed Herbarium 10105 Harford Rd. Baltimore, Maryland 21234